


Awnings 33
Annexes 38
Awning Accessories 40
Awning Spare Parts 43
Privacy Screens 52
Flooring 52
Covers 53

AWNINGS

FIAMMA CARAVANSTORE BAG AWNING

- A lightweight bag awning with a manual rollout operation. Specifically made for caravans and minivans, the Caravanstore Awning has an extra wide roller tube which can be rewound without the fabric wrinkling. It takes seconds to roll out and since the legs are inside the roller tube, they too are quick and easy to position.
- The legs are hinged and telescopic so they can't fall out and get lost. The design of the Caravanstore Awning has been improved recently and now comes with a central rafter fixing kit to ensure a centre rafter (not included) is installed safely (from Caravanstore 255). The lead bar now also features a second track so that a sunscreen or LED lights can be fitted.

- UV resistant, waterproof and rot proof vinyl
 Soft vinyl bag with self lubricating zipper
- Easy installation
- Royal grey fabric colour
- Fits into a standard rope track (not included)





PART NO.	DESCRIPTION	WEIGHT	LENGTH (A)	LENGTH (B)	EXTENSION (C)	HEIGHT FROM Ground (D)	SHADE Surface
044283	CSTORE 190	6KG	193CM	162CM	180CM	195CM	2.9M ²
044284	CSTORE 225	7.5KG	235CM	202CM	225CM	225CM	4.5M ²
044285	CSTORE 255	8.4KG	264CM	232CM	225CM	225CM	5.2M ²
051256	CSTORE XL 280	10.1KG	286CM	254CM	250CM	225CM	6.4M ²
044792	CSTORE XL 310	11.2KG	316CM	284CM	250CM	225CM	7.1M ²
044954	CSTORE XL 360	12.3KG	366CM	334CM	250CM	225CM	8.4M ²

FIAMMA F35 PRO AWNING

Perfect for your minivan, 4x4 or even a station wagon. Housed in a light anodized aluminium case, the Fiamma F35Pro has a manual mechanism - press the red button on the side of the casing to open,

then walk backwards while unrolling the awning. The drop down legs are housed inside the roller tube.

VEHICLE

Designed for caravans and camper vans.

OPERATION

Manual opening and closing.

POSITION


Designed for wall installation. Adapters are available for wall or roof bars.

COLOURS & MATERIALS

- Super lightweight anodized aluminium case: Titanium
- Multi-layer canopy, in ultra-resistant waterproof and rot-proof vinyl, cool and cheerful, with bright colours on both sides.
- Colour: Royal Grey or Royal Blue









PART NO.	CASE FINISHES	FABRIC COLOURS	LENGTH (A)	LENGTH (B)	EXTENSION (C)	MAX HEIGHT From ground (d)	SHADE SURFACE	WEIGHT
044290	TITANIUM	GREY	183CM	162CM	180CM	195CM	2.9M ²	8.5KG
051236	TITANIUM	BLUE	223CM	202CM	225CM	225CM	4.5M ²	10.5KG
044291	TITANIUM	GREY	253CM	232CM	225CM	225CM	5.2M ²	11.5KG
044292	TITANIUM	BLUE	303CM	282CM	225CM	225CM	6.4M ²	6.4KG

FIAMMA F45 L AWNING


This is a larger awning with extra large roller tube, perfect for motorhomes. With a winch opening and closing, operating by handle, this awning is designed for wall installation. It comes with reinforced leg knuckle, arms preset for LEDs.

- Double guide on the lead bar allowing installation of front panels
- Fast and silent opening and closing thanks to the Auto-Lock safety system and perfect closing thanks to Dual Security device
- Adjusting system that enables you to gauge the closing of the lead bar to guarantee a perfect closing over time
- Patented shock absorbing bracket with dual bolt system to protect the awning and the vehicle during bad weather
- Polar white casing

PART NO.	FABRIC Colour	LENGTH (A)	LENGTH (B)	EXTENSION (C)	SHADE Surface	WEIGHT
044303	GREY	502CM	485CM	250CM	12M ²	42.5KG
044304	BLUE	502CM	485CM	250CM	12M ²	42.5KG
044305	GREY	552CM	535CM	250CM	13.3M ²	46.5KG
044725	BLUE	552CM	535CM	250CM	13.3M ²	46.5KG







FIAMMA F45 S AWNING

Up-to-date model of the F45 awning. The renewed design is more compact and more functional with a lot of technical improvements. The lead bar has two tracks allowing for use as sunscreen or LED lights. Simple to use and easy to install on the wall of your RV. Sturdy and safe to operate with an easy to hook winch loop. Polar white or Titanium case.

- UV resistant, waterproof, washable
 Designed for wall installation and delivered with standard installation brackets
- Privacy room option available
- ** 1 tension rafter made of anodized aluminum included.



PART NO.	DESCRIPTION	CASING COLOUR	FABRIC COLOUR	AWNING Length	CANOPY Length	EXTENSION	SHADE Surface	WEIGHT
044415	FIAMMA F45 S AWNING 1.9M (LEGS NOT SUPPLIED)	POLAR WHITE	ROYAL GREY	1.85M	1.69M	1.00M	1.7M ²	11.5KG
051571	FIAMMA F45 S AWNING 2.3M	POLAR WHITE	ROYAL GREY	2.31M	2.14M	1.5M	3.2M ²	16.5KG
044293	FIAMMA F45 S AWNING 2.6M	POLAR WHITE	ROYAL GREY	2.63M	2.47M	2.00M	4.9M ²	19.5KG
044294	FIAMMA F45 S AWNING 2.6M	POLAR WHITE	ROYAL BLUE	2.63M	2.47M	2.00M	4.9M ²	19.5KG
044050	FIAMMA F45 S AWNING 2.6M	DEEP BLACK	ROYAL GREY	2.63M	2.47M	2.00M	4.9M ²	19.5KG
044306	FIAMMA F45 S AWNING 2.6M	TITANIUM	ROYAL GREY	2.63M	2.47M	2.00M	4.9M ²	19.5KG
044051	FIAMMA F45 S AWNING 3.0M	DEEP BLACK	ROYAL GREY	3.08M	2.92M	2.50M	7.3M ²	23KG
044295	FIAMMA F45 S AWNING 3.0M	POLAR WHITE	ROYAL GREY	3.08M	2.92M	2.50M	7.3M ²	23KG
044296	FIAMMA F45 S AWNING 3.0M	POLAR WHITE	ROYAL BLUE	3.08M	2.92M	2.50M	7.3M ²	23KG
044052	FIAMMA F45 S AWNING 3.5M	DEEP BLACK	ROYAL GREY	3.48M	3.31M	2.50M	8.3M ²	25KG
044297	FIAMMA F45 S AWNING 3.5M	POLAR WHITE	ROYAL GREY	3.48M	3.31M	2.50M	8.3M ²	25KG
044298	FIAMMA F45 S AWNING 3.5M	POLAR WHITE	ROYAL BLUE	3.48M	3.31M	2.50M	8.3M ²	25KG
040144	FIAMMA F45 S AWNING 3.5M	POLAR WHITE	BORDEAUX	3.48M	3.31M	2.50M	8.3M ²	25KG
044299	FIAMMA F45 S AWNING 4.0M**	POLAR WHITE	ROYAL GREY	3.98M	3.81M	2.50M	9.5M ²	27KG
044300	FIAMMA F45 S AWNING 4.0M**	POLAR WHITE	ROYAL BLUE	3.98M	3.81M	2.50M	9.5M ²	27KG
044307	FIAMMA F45 S AWNING 4.0M**	TITANIUM	ROYAL GREY	3.98M	3.81M	2.50M	9.5M ²	27KG
044569	FIAMMA F45 S AWNING 4.0M**	DEEP BLACK	ROYAL GREY	3.98M	3.81M	2.50M	9.5M ²	27KG
051444	FIAMMA F45 S AWNING 4.5M**	DEEP BLACK	ROYAL GREY	4.48M	4.31M	2.50M	10.8M ²	29.5KG
044301	FIAMMA F45 S AWNING 4.5M**	POLAR WHITE	ROYAL GREY	4.48M	4.31M	2.50M	10.8M ²	29.5KG
044302	FIAMMA F45 S AWNING 4.5M**	POLAR WHITE	ROYAL BLUE	4.48M	4.31M	2.50M	10.8M ²	29.5KG

FIAMMA F65 L AWNING

Design inherited from Fiamma roof awnings now makes the new F65L more compact and sturdy. The new reinforced cover box, available together with the new end caps as spare parts for the previous model, makes the new F65L modern and stylish, easy to be integrated with the shape of the latest vehicles. The lead bar is predisposed to accommodate LED lights for quick and easy installation.

VEHICLE

Perfect for motorhomes, caravans and van conversions.

OPERATION

Winch opening and closing. Operation by handle. Electric motor optional.

POSITION

Designed for roof installation. Adapters optional available.

AWNING ENCLOSURE

Optional Privacy Ultra-Light, Privacy Room, front and side panels Blocker & Side.

COLOURS & MATERIALS

Case: in extra strong extruded aluminium. Very light yet highly resistant external coating in either Polar White or Titanium. Cool and cheerful vinyl canopy. UV resistant, waterproof and washable, with bright colours on both sides.



PART NO.	DESCRIPTION	CASING COLOURS	FABRIC COLOURS	AWNING Length A	CANOPY Length B	EXTENSION C	SHADE SURFACE	WEIGHT
044790	FIAMMA F65 L AWNING 4M	TITANIUM	ROYAL GREY	4.0M	3.8M	2.5M	9.5M ²	36KG
050741	FIAMMA F65 L AWNING 4M	POLAR WHITE	ROYAL GREY	4.0M	3.8M	2.5M	9.5M ²	36KG
044726	FIAMMA F65 L AWNING 4.5M	POLAR WHITE	ROYAL GREY	4.5M	4.3M	2.5M	10.8M ²	41KG
050811	FIAMMA F65 L AWNING 4.9M	POLAR WHITE	ROYAL GREY	4.9M	4.7M	2.5M	11.8M ²	44.5KG

FIAMMA F80 S AWNING

An awning with an extremely small cross-section to integrate it even better in the contour of the vehicle.

The technical solutions which have been implemented mean a more compact awning protrusion. The introduced innovations, like dual prearrangement as standard equipment for LED lighting on the lead bar and on the case, in addition to three guides on the lead bar, make F80s the go-to solution for all roof-mounted installations.

- Brackets: more than 40 types of dedicated brackets available on request
- Dual Shock-Absorber: absorbs shocks in case of heavy stress
- Roller support: facilitates the rolling up of the fabric
- Secure Lock: adjusts the height of the lead bar
- Reinforced arms: keep the fabric tensioned
- One Way Roll: guides the direction of rolling up
- LEDs: double front LED arrangement + case box
- Triple guide: allows the installation of two front panels and other accessories
- Leg: telescopic and equipped with a reinforced joint



PART NO.	DESCRIPTION	CASING COLOURS	FABRIC COLOURS	AWNING Length A	CANOPY Length B	EXTENSION C	WEIGHT	SHADE Surface
051259	FIAMMA F80 S AWNING 2.9M	POLAR WHITE	ROYAL GREY	2.9M	2.78M	2.0M	27KG	5.6M ²
051262	FIAMMA F80S AWNING 2.9M	BLACK	ROYAL GREY	2.9M	2.78M	2.0M	27KG	5.6M ²
050999	FIAMMA F80 S AWNING 3.2M	POLAR WHITE	ROYAL BLUE	3.2M	3.08M	2.5M	29KG	7.7M ²
051132	FIAMMA F80 S AWNING 3.2M	POLAR WHITE	ROYAL GREY	3.2M	3.08M	2.5M	29KG	7.7M ²
051169	FIAMMA F80S AWNING 3.2M	BLACK	ROYAL GREY	3.2M	3.08M	2.5M	29KG	7.7M ²
051239	FIAMMA F80S AWNING 3.2M	TITANIUM	ROYAL GREY	3.2M	3.58M	2.5M	29KG	7.7M ²
051133	FIAMMA F80 S AWNING 3.4M	POLAR WHITE	ROYAL GREY	3.4M	3.28M	2.5M	30KG	8.2M ²
051167	FIAMMA F80 S AWNING 3.7M	POLAR WHITE	ROYAL GREY	3.7M	3.58M	2.5M	32KG	9.0M ²
051168	FIAMMA F80 S AWNING 3.7M	TITANIUM	ROYAL BLUE	3.7M	3.58M	2.5M	32KG	9.0M ²
051108	FIAMMA F80S AWNING 3.7M	TITANIUM	ROYAL GREY	3.7M	3.58M	2.5M	32KG	9.0M ²
051170	FIAMMA F80S AWNING 3.7M	BLACK	ROYAL GREY	3.7M	3.58M	2.5M	32KG	9.0M ²
051171	FIAMMA F80S AWNING 4.0M	BLACK	ROYAL GREY	4.0M	3.88M	2.5M	34KG	9.7M ²
051176	FIAMMA F80 S AWNING 4.0M	POLAR WHITE	ROYAL GREY	4.0M	3.88M	2.5M	34KG	9.7M ²
051307	FIAMMA F80S AWNING 4.5M	POLAR WHITE	ROYAL GREY	4.5M	4.31M	2.5M	36.5KG	10.8M ²

FIAMMA F65 EAGLE AWNING 400

In order to grant maximum comfort and complete safety the new 12V electric awning can easily be opened by using the rocker switch inserted into the wall of the vehicle. Delivered as standard with Wind Detection System: wind sensor that automatically activates the 12V motor and closes the awning in case of strong wind, avoiding possible damage.

The motor kit also allows manual closing in case of emergency.

The self-supporting arms are reinforced thanks to the sturdy duralumin Double Block that doesn't require the use of support legs.

The angle of inclination of the arms is prefixed at 10 degrees, but can be changed according to the height of motorhome from 5° to 17° , enabling the correct flow of water.

FEATURES

- Brackets: Not included. Optional for standard version (400 cm)
- Presto Fix: guarantees perfect closure of the lead bar over time
- Roller support: facilitates the rolling up of the fabric
- Motor: equipped with 12 V motor
- Reinforced arms: keep the fabric tensioned
- One Way Roll: guides the direction of rolling up
- Double guide: allows the installation of two front panels and other accessories
 Wind Detection System: sensor that is automatically activated and closes the
- awning in case of strong wind
- LEDs: the cable ducts on the arms allow the passage of cables for the optional Fiamma LED kits
- Double Block support: allows the regulation of the inclination from 5° to 17° and reinforces the self-supporting arms, thus avoiding the use of support legs





PART NO.	DESCRIPTION	CASE COLOURS	FABRIC Colours	AWNING Length A	CANOPY Length B	EXTENSION C	SHADE Surface	WEIGHT
051195	FIAMMA F65 EAGLE AWNING 400	POLAR WHITE	ROYAL GREY	4.2M	3.8M	2.5M	9.5M ²	37.5KG

• * The vehicle must be robust enough to support the weight and the tension of the open awning.

FIAMMA F40 VAN 270

F40van is a roof-mounting awning designed specifically for camper vans. Thanks to its reduced size and integrated brackets, it is the perfect complement to the vehicle. Designed with attention to detail, with automotive style finishings. It unrolls in an overhand motion to guarantee fabric tension.

- Brackets: wide range of brackets that can be purchased separately
- Reinforced arms: with reduced section
- One Way Roll: guides the direction of rolling up
- One guide: allows the installation of front panels and accessories
- Flat legs: with predefined position for fast and precise opening
- Does not include mounting brackets





ANNEXES

FIAMMA PRIVACY ROOM

Double your outdoor living space with one of Fiamma's Privacy Rooms. Suitable for use on F45S and F65/F80 and F45L awnings, they transform your awning into a comfortable living space. The front panel is inserted into the track of the lead bar, and is joined to the side panels by zippers. Includes 1 front panel with door and window (with mosquito nets), 2 side panels with windows (with mosquito nets), 1 fast clip system, support poles, curtains for all windows and a mega bag for storage.

SPECIFICATIONS

- The side panels are quickly put together with the fast clip that combines the canopy with the side walls
- Guaranteed close fit
- The front panel is inserted in the front rail of the awning and joined to the side panels with zippers



PART NO.	DESCRIPTION	AWNING LENGTH (A)	HEIGHT FROM GROUND (B)	EXTENSION (C)	WEIGHT
051390	FIAMMA PRIVACY ROOM 300 MEDIUM - F45	3.0M	2.25-2.50M	2.50M	24.4KG
051389	FIAMMA PRIVACY ROOM 300 LARGE - F45	3.0M	2.51-2.80M	2.50M	24.7KG
044344	FIAMMA PRIVACY ROOM 350 MEDIUM	3.5M	2.25-2.50M	2.50M	24.9KG
044345	FIAMMA PRIVACY ROOM 400 MEDIUM	4.0M	2.25-2.50M	2.50M	25.4KG
044346	FIAMMA PRIVACY ROOM 300 LARGE	3.0M	2.51-2.80M	2.50M	24.7KG
044347	FIAMMA PRIVACY ROOM 350 LARGE	3.5M	2.51-2.80M	2.50M	25.2KG
044348	FIAMMA PRIVACY ROOM 400 LARGE	4.0M	2.51-2.80M	2.50M	25.7KG
051107	FIAMMA PRIVACY ROOM 450 LARGE	4.5M	2.51-2.80M	2.50M	26KG
044350	FIAMMA PRIVACY ROOM 500 LARGE	5.0M	2.51-2.80M	2.50M	26.7KG
044251					

044351 FIAMMA PRIVACY ROOM VAN 260 FITS VW

FIAMMA FRONT PANEL

Made of translucent light filtering fabric, which partially blocks out light. It can be rolled up with convenient fixing clips. Supplied with ropes and pegs for fastening.

PART NO.	DESCRIPTION
051393	FIAMMA FRONT PANEL 100 F45/F65/F80
051394	FIAMMA FRONT PANEL 150 F45/F65/F80
051392	FIAMMA FRONT PANEL 200 F45
051391	FIAMMA FRONT PANEL 50 F45



SPARE PARTS

PART NO.	DESCRIPTION
044342	FIAMMA PRIVACY ROOM PANEL 80
051395	FIAMMA PRIVACY ROOM F45
051191	FIAMMA ROOM VAN PREMIUM
041501	FIAMMA PRIVACY ROOM PANEL L/H
051192	FIAMMA MEGA BAG LIGHT

PRIVACY ROOM F45







PO



PART NO.	BASIC MODULE
051395	(S) ROOM VAN 260 VAN
051390	(M) ROOM 300 - MEDIUM
051389	(L) ROOM 300 - LARGE

PART NO.	FRONT PANELS
051491	(G) VAN 40CM
051391	(I) 50CM
051493	(O) 75CM
051393	(P) 100CM
051494	(Q) 125CM
051394	(U) 150CM
051392	(W) 200CM

DESCRIPTION	AWNING Length	BASIC Module	COMPOSITION
PRIVACY ROOM VAN 260	260CM	VAN (S)	(S)
PRIVACY ROOM 300	300CM	180-220CM	(S) + G
P.ROOM 300 LARGE	300CM		(M)
P.ROOM 350 MEDIUM	350CM		(M) + I
P.ROOM 375 MEDIUM	375CM	MEDIUM (M)	(M) + O
P.ROOM 400 MEDIUM	400CM	225-250CM	(M) + P
P.ROOM 425 MEDIUM	425CM		(M) + O
P.ROOM 450 MEDIUM	450CM		(M) + U
P.ROOM 300 LARGE	300CM		(L)
P.ROOM 350 LARGE	350CM		(L) + I
P.ROOM 375 LARGE	375CM		(L) + O
P.ROOM 400 LARGE	400CM	LARGE (L) 251-280CM	(L) + P
P.ROOM 425 LARGE	425CM	201 2000	(L) + Q
P.ROOM 450 LARGE	450CM		(L) + U
P.ROOM 500 LARGE	500CM		(L) + W
P.ROOM 550 LARGE	550CM		(L) + I + W

DESCRIPTION	AWNING Length	BASIC Module	COMPOSITION
P.ROOM 300 / H: 245-280	300CM		(L)
P.ROOM 320 / H: 245-280	320CM	LARGE (L) 280CM	(L) + F
P.ROOM 340 / H: 245-280	340CM		(L) + H
P.ROOM 370 / H: 245-280	370CM		(L) + N
P.ROOM 400 / H: 245-280	400CM		(L) + P
P.ROOM 425 / H: 245-280	425CM		(L) + O
P.ROOM 450 / H: 245-280	450CM		(L) + U

AWNING ACCESSORIES



FIAMMA CLIP SYSTEM

The Fiamma 'Clip System' guarantees a 100% water tight seal between the awning canopy fabric and the Privacy Room side walls; this is achieved using the Clip System. The Clip System is effectively a clamping system, with an upper and a lower section that clamp around the awning roof fabric. The Clip System also incorporates a 'C' channel, which allows the side panel to fit into, once this has been fitted the roof fabric clamping procedure begins.



The clip system includes two vertical poles for adjacent to the vehicle plus the two sets of the clamps to hold both side walls in place across the top. Made to suit the 2500mm wide awnings.

Can also be fitted to F65 & F80 Awnings with the use of additional Mounting Adaptors, see related products below.

SPECIFICATIONS

- Suits F45-s awnings, all sizes with a 2.5m extension
- Does not suit F45 2.6 awnings (they have a 2m extension)
- Also fits earlier models
- Will accept end walls with a standard rope spline like Coast & CGear



GRASSHOPPER ANTI FLAP KIT 050957

Grasshopper have created an anti flap kit to stop the annoying awning flap caused by wind or rain entering from the side walls. The innovative Anti-Flap Kit is designed to stop all of this and the damage it can cause. It's perfect for roll out awnings and has been created from the most durable and high quality products on the market, to ensure it's suited to helping you for years to come.

The Anti-Flap kit is incredibly compact and easily stored, thanks to the innovative design, which allows you to break it down into four individual section. When joined together, they form a full-length straight roof rafter, which is used with specifically designed clamps to hold the canopy fabric and prevents it from flapping. The straight roof rafter also has two sail tracks designed into its profile, which perfectly enables it to hold two side walls, giving you more flexibility in wall choice at all times.

FEATURES

- Offers an obstacle free roof
 extension
- Helps hold the vinyl roof sturdy and when used in conjunction with annex/shades the Stop Flap Clips forms a wind proof connection
 Compact design allows for easy
- storage



GRASSHOPPER TENSION RAFTER 050959

The Straight Roof Tension Rafter has been especially developed to assist the Roll Out Awning, ROA, by stretching the Vinyl canopy at the middle of the Awning. This is achieved by the arm which puts pressure on the Roller, the Tension Arm is a pump action lever. As with the Straight Roof Rafter, this Tension Rafter has been developed with a Sail Track which can be used to hang a wall panel off.



ANTI FLAP CAM HANDLE & SPRING

042277 Suits Aussie traveller anti flap kit



AUSTRALITE ANNEX PROTECTOR 015628

Fits to leading edge of main door and protects annex/awning roof from damage.



ALUMINIUM ACUTE CURVED ROOF RAIL 042312 - White

051472 - BLACK

Acute curved.

SPECIFICATIONS

25mm square tube
Extends to 2430mm

CURVED ROOF RAFTER WITH BRACKET

001616

Curved roof rafters are used to keep the vinyl roof from sagging, ensuring 100% water run-off, as well as keeping the fabric tight and reducing wind flap. Best results are achieved when used in conjunction with an anti-flap kit.

ALUMINIUM SLIGHT CURVED ROOF RAIL

035227 SLIGHT CURVE WHITE 051471 SLIGHT CURVE BLACK

SPECIFICATIONS

- 25mm square tube
- Extends to 2430mm
- Supports the awning to stop water pooling and limit flap noise



FIAMMA AWNING TIE DOWN S Kit

051693

Useful strap to hold the awning firmly anchored to the ground in light wind. It fits crank awnings up to 600cm in length.

Composed of:

- 1x adjustable band (11m), in black
- 2x stakes
- • 1x tension spring.



ROPE TRACK SINGLE 001650 5.5M BRIGHT WHITE 042060 6.0M BLACK 042063 6.0M CLEAR ANODIZED 001646 6.5M BRIGHT WHITE

Single fixing, aluminum track for securing vertical or horizontal walls of annex.



ROPE TRACK DOUBLE 042064 6.0M CLEAR ANODIZED 042065 6.0M BLACK 001649 6.5M BRIGHT WHITE

Double fixing, aluminum track for securing vertical/horizontal walls of annex.



AWNING BRACKET 050035

Stainless Steel awning pole bracket to provide additional support to RV rollout awnings.

The amount of support that RV awnings require is often underestimated resulting in one of the largest reasons for insurance claims in the RV industry. You can prevent this occurring on your RV in a very cost-effective way with the simple installation of our awning pole bracket.

FEATURES

- Suits Carefree, A&E & Dometic awnings.
- Not suitable for Fiamma awnings.

SPECIFICATIONS

- Sizes: 38 X 40mm
- 10mm dia slot for tent poles
- 8mm spline



STAINLESS Steel Caravan Awning Rope Clips

050036

Stainless steel awning rope clip to suit most awnings. Sold as a pair. Any well-prepared camper and caravanner would know that it pays to have a plan in place in case of unexpected windy weather conditions blowing up during your holiday. Stainless steel awning rope clips provide the most reliable method of quickly improving awning stability and guaranteeing that it will withstand the wind.

FEATURES

- Manufactured from quality stainless steel, rust-resistant, and springs back into shape enabling long-term durability.
- Designed to fit Dometic (A&E), Carefree and Aussie traveller awnings.
- Sold as a pair.

CARAVAN AWNING SAFETY STRAPS 050037

uus*i* Icro caravan awnir

Velcro caravan awning safety straps for securing awning arms.

Reduce the rattling and risk of your awnings and pole breaking whilst traveling. These straps are unbelievably handy for all RV owners when transporting awning hardware, and are great when used as replacement straps for Caravan De-Flappers (not the pop-top variety).

SPECIFICATIONS

- 50 (w) x 390mm (l)
 160mm sections of hook and loop straps at each end.
- 2 straps per pack



GRASSHOPPER STORAGE BAG

The travel bag keeps your anti flap kit in tip top condition. Most damage to your anti flap kit occurs during travel. Vibration during travel causes wearing of the powder coating or the polished aluminum metal surface, an anti flap kit storage system has four separate slots which keep each arm separated thus avoiding the usual wear and tear.

The protection system when rolled up can slot into a 150mm drainage pipe. Travelers usually locate such a tube at the rear of the caravan.

The storage bag, made from the tough Dacron, is held sturdy by Velcro straps sewn into the edge seam.



F45 TENSION RAFTER (STRAIGHT) 001250



FIAMMA MAGIC RAFTER PRO 041941

Comes complete with two special brackets to fix in the knuckles of the arms in order to keep the fabric tensioned.

FEATURES

- Easy to install
- When not in use it takes up little space
- Limited usage at high temperatures
- For awnings from 350 to 450cmHelps limit water pooling and fabric flap

1	 100

FIAMMA RAFTER PRO (CURVED)

The Rafter Pro is made of two sturdy anodized aluminium telescopic bars. Ideal for awnings with extension up to 250cm, it is adjustable in length from 144 to 265cm. Limit usage at high temperatures as it may affect the fabric tension.





ANTI FLAP KIT BRACKET

For Aussie Traveller anti-flap kit. Allows a support pole to be fitted.



KNURLED KNOB & T NUT AUS TRV

035090

Replacement knob for Aussie Traveller anti flap kit



AWNING ACCESSORIES



FIAMMA AWNING TIE DOWN KIT 001610

Anchors awning to the ground in windy conditions.

FEATURES

- Kit includes 11m of yellow adjustable strap, pegs and tension spring
- Fits awnings up to 6m in length
- Fits into the awning rails or the side clip of the privacy room



FIAMMA AWNING LED LIGHT KIT 038914

Composed of two strips of 9 LED lights, low consumption, 12V power supply cable 5m long. Easy joint installation by simple pressure on the front bar. Also fits previous awning versions.


FEATURES

• 2 x 9 LED lamps and 12V cable • Easy to install on front bar of most



HAPPY HOOK TIE DOWN KIT 001609

Attach Happy Hook to awning and screw stakes into the ground and adjust poly tie-down cords. Fully rotates to keep fabric taught without stretching or separating.



FIAMMA AWNING RUBBER SEAL **STRIP**

035272

For awnings, mounted with adapter spaced out from the wall (up to 4cm) or on curved walls. Sold per metre



models of F45 and F65 awnings



FIAMMA RAIN GUARD KIT S550 051286

FIAMMA F45 MOTORS



F45 SIDE W PRO <4M 033783

WALL BRACKETS DEEP BLACK 051184



AWNING FABRIC REPAIR KIT 035274

PART NO.		DESCRIPTION		
041449	1 - Ho	F45 S 12 V MOTOR KIT WHITE		
040700	6	F45 L 12 MOTOR KIT WHITE		
041519		F45 S MOTOR KIT TITANIUM		
051763		FIAMMA F45S MOTOR KIT DEEP BLACK		





FIAMMA LEG BRACKET KIT -PLASTIC 001280



FIAMMA F65/F65S/F80 MOTORS

FIAMMA F45 BRACKETS

0/1005/180	WOINK2	FIAMMA F4	45 BRACKEIS	
	DESCRIPTION	PART NO.		DESCRIPTION
S.	F65S MOTOR KIT - LH END	001252		F45 STD AS 120 BRKT KIT
-	F65 MOTOR KIT TITANIUM	001253		F45 T5 BRACKET KIT
10	F80S MOTOR KIT WHITE	001254		F45 VAN BRKT KIT
10	F80S MOTOR KIT COMPACT DEEP BLACK	001256		F45 T ADAPTER
10	F80 MOTOR KIT PLUS TITANIUM	001261		F45 T3 BRACKET KIT
10	FIAMMA F80S MOTOR KIT DEEP BLACK	001262	P	F45 T4 BRACKET KIT
5 BRACKETS			21.00	
	DESCRIPTION	001266	million and the second	F45 U BRACKET
5 BRACKETS		001293		F45 S 120 BRACKET KIT
J DHAUKLIS				
D	F45 ADAPTOR RENAULT	034090	Ŧ	F45 AWNING WALL ADAPTOR KIT
		034371		F45 S 400 BRACKET KIT
- And	F45 FIT KIT DUCATO 2006		-	
KO	FIAMMA KIT SPRINTER H3	035278	4	F45 MULTI BRACKET KIT
			11.45	
		038337	K	F45 SPRINTER/TRANSIT FIT KIT
	SFFBSSFFBU	F65S MOTOR KIT - LH END F65S MOTOR KIT TITANIUM F65S MOTOR KIT TITANIUM F80S MOTOR KIT WHITE F80S MOTOR KIT COMPACT DEEP BLACK F80 MOTOR KIT PLUS TITANIUM F80 MOTOR KIT PLUS TITANIUM	DESCRIPTION PART NO. Image: Problem of the set of the se	DESCRIPTION PART NO. Image: F655 MOTOR KIT - LH END 001252 Image: F655 Image: F655 MOTOR KIT TITANIUM 001253 Image: F655 Image: F655 MOTOR KIT TITANIUM 001254 Image: F655 Image: F655 MOTOR KIT WHITE 001256 Image: F655 Image: F655 MOTOR KIT COMPACT DEEP BLACK 001256 Image: F655 Image: F655 MOTOR KIT PLUS TITANIUM 001261 Image: F655 Image: F655 MOTOR KIT PLUS TITANIUM 001262 Image: F655 Image: F655 MOTOR KIT PLUS TITANIUM 001262 Image: F655 Image: F655 MOTOR KIT PLUS TITANIUM 001262 Image: F655 Image: F655 MOTOR KIT PLUS TITANIUM 001262 Image: F655 Image: F655 MOTOR KIT PLUS TITANIUM 001262 Image: F655 Image: F655 MOTOR KIT 001265 Image: F655 Image: F655 MOTOR KIT Image: F655 Image: F655 Image: F655 Image: F655 MOTOR KIT Image: F655 Image: F655 Image: F655 Image: F655 Image: F655 MOTOR KIT Image: F655 Image: F655 Image: F655 Image: F655

AWNING SPARE PARTS

FIAMMA F65/F65S/F80 BRACKETS			FIAMMA CARAVAN STORE	FIAMMA CARAVAN STORE SPARE PARTS			
PART NO.		DESCRIPTION	PART NO.	DESCRIPTION			
038927	2	F65 FIXING BAR KIT	033572	C/STORE RH ARM SLEEVE			
044489		F65 ADAPTOR KIT STANDARD	038278	C/STORE 05 LH KNUCKLE			
042104	Ar	F65/80 MERCEDES SPRINTER KIT - VW CRAFTER (HIGH ROOF) RH	038279	C/STORE 05 RH KNUCKLE			
033855	1 Aug	F65/F80 FIT KIT DUCATO 2006	038428	C/STORE LEG INSERT			
033835		F65/F80 FIT KIT MERC SP	042600	C/STORE RAFTER FITS CARAVANSTORE			
00 1338	-	F65/F80 BRACKET KIT DUCATO	038379	C/STORE F35 LH KNUCKLE			
051240	Ar	F65/F80 MOUNTING BRACKET MERCEDES SPRINTER >06/2006	051744	FIAMMA PEG/GUY KIT			
042104	Ac	F65/80 MERCEDES SPRINTER	FIAMMA F35 SPARE PART Part No.	DESCRIPTION			

FIAMMA F65/F65S/F80 BRACKETS



001338

051172

F65/F80 BRACKET KIT

KIT VW CRAFTER WITHOUT ROOF RAIL (2020+)

FIAMMA F35	SPARE PARTS		FIAMMA F4	5 SPARE PARTS	
PART NO.		DESCRIPTION	PART NO.		DESCRIPTION
026308		FIAMMA F35 PRO RAFTER ARM	040215		RH EXTENSION ARM 2.5M
042609		F35 RAFTER END PART FITS F34 PRO 220	040216		LH EXTENSION ARM 3-4.5M
043037		F35 PRO RAFTER FIX KIT	040217		RH EXTENSION ARM 3-4.5M
051742		FIAMMA F35 LEG CLAMP	040218	T	LH ROLLER GEAR
FIAMMA F45 Part no.	SPARE PARTS	DESCRIPTION	040219		SLEEVE LH END CAP
040208		LH LEG 2.5M	040220		LH END CAP
040209		RH LEG 2.5M	040221	2	RH WINDER END CAP
040210		LH LEG 3.0M	040222	R	RH INNER WIND HOUS
040211		RH LEG 3.0M	040223		LH CASE INNER BRACKET 250 - 400
040212		LH LEG 3.5-4.5M	040224	A	RH SHK INNER BRACKET 250 - 400
040213		RH LEG 3.5-4.5M	040225		LH SHK ABSORB 4.5M
040214	-	LH EXTENSION ARM 2.5M	040226	3	RH SHK ABSORB 4.5M
040214		LH EXTENSION ARM 2.5M			

FIAMMA F45 SPARE PARTS

040306	: 8	LH LEG TOP PLUG	041416		FRONT AWNING PANEL SUIT 3.5M AWNING
040307	£ :	RH LEG TOP PLUG	051218	14	F45TIL/45L CLIP SYSTEM FIXING KIT USE WITH 040272
040227	1º	LH LEG KNUCKLE	001298	£ .,	F45 LEG CLIP 2542
040228	N.	RH LEG KNUCKLE	001315		F45 RH LEG
040229	: 07	LH KNUCKLE SHAFT	016930	21	F45 RIVET FOR LEG TOP
040230	1:	RH KNUCKLE SHAFT	001272		F45 LH ARM SUPPORT JNT UP TO 4M
040231		LH FRONT END CAP	001273		F45 RH ARM SUPPORT JNT UP TO 4M
040232	0	RH FRONT END CAP	039328	A.	F45 RH INNER BRACKET FIT 2.5-4M
040242		LH END CAP TITANIUM CASE	001295		F45 LH NYLON SHOCK INS
040243	S	RH WINDER END CAP TITANIUM CASE	001296		F45 RH NYLON SHOCK INS
040244		LH FRONT END CAP TITANIUM CASE	035276	0	F45 PLUS WINCH 3.1
040245		RH FRONT END CAP TITANIUM CASE			



AWNING SPARE PARTS


026298		F45 XL-L LH END CAP	035279 F45I LH LOCK MECH 3M
001326	88 or:	F45 RAPID SET ARMS SET	035960 F45I LH ARM AWN 3-4.5M
016934	۱	F45I LH LEAD BAR CAP<4M	026297 F45 RH END CAP ASSY -
016935	0	F45I RH LEAD BAR CAP<4M	034631 F45I RH ARM AWNING >3M
001306	2	F45I RH END COVER <4.0M	001307 F45I LH END COVER UP TO 4M
001313		F45 SQ DRIVE ROLLER D/L	034304 F45I RAFTER FIXING BRKT
001311	0	F45I XL-L LH END CAP	001321 F45IL LH LEG 4.5-6M
001259	1 4	WINDER HANDLE WALL CLIP	001322 F45IL RH LEG 4.5-6M
051740	59	FIAMMA F45 S BRACKET	001309 F45IL LH ARM -4.5M+AWN
001320	0	F45I RH END CAP DELUXE	001310 F45IL RH ARM -4.5M+AWN
034086	Í	F45I LH LEAD BAR CAP>4M	016928 F45L RH END CAP
001312	1	F45I RH LEAD BAR CAP>4M	001275 F45L LH ARM SUPPORT JNT



FIAMMA F45 SPARE PARTS

001276		F45L RH ARM SUPPORT JNT	039195	-	F45TIL RH LEG KNUCKLE
036730	0	F45TI RH END CAP >4M	039118	5	F45TI RH SHOCK COVER
036831	0	F45TI LH END CAP > 4M	040320	_	F45TIL LH ARM 4.5-5.5M
039222	0	F45TI LH END <4.0M	038819	88	F45TIL LEG TOP JNT SET 4.5 - 5.5M
036729	.20	F45TI RH END <4.0M	001279	2	F45 WINDER COVER
026292	0	F45 LH END CAP COVER	034573	Ĩ	F45PLUS RH LEAD BAR CAP
039004		F45TI LH CAP POLAR WHT	026293	S	F45 PLUS LH CASE CAP
038327	I	F45TI RH LEAD BAR CAP	001274	120	F45I RH CASE CAP COMP
039196	- Ter	F45TIL LH LEG FIX KIT	039327		F45 LH INNER BRKT FI
039197	Ca-	F45TIL RH LEG FIX KIT	001258	u=	F45 WINDER HANDLE
039194		F45TIL LH LEG KNUCKLE	001263	200 mm	F45 B LONG ROOF BRKT
051741	:	FIAMMA F45 S LEFT LEG END	016924		F45 RH DRIVE ROLLER
051743		WINCH MECHANISM FOR F45TIL	016929		F45 DRIVE ROLLER

AWNING SPARE PARTS



AWNING SPARE PARTS

PART NO. DESCRIPTION PART NO. DESCRIPTION 043770 051674 F80 FAST CLIP ADAPTOR KIT F65S/L LEG STOP PLATE 042420 F65/L INNER END CAP (LH) 051751 F80S L/H WINCH END COVER POLAR WHITE 051752 042421 F65S 400 LEAD BAR GUIDE F80S L/H WINCH END COVER POLAR WHITE 042825 F65 LEFT END COVER TITANIUM 051753 F80S R/H WINCH END COVER POLAR WHITE F80S R/H WINCH END COVER DEEP BLACK 051754 026311 F65L KNOB FOR LEG & RAFTER F65 S LEFT LEG FIXING KIT 042274 051755 F80S L/H END CAP POLAR WHITE 051748 FIAMMA F65 TOP WINCH MECHANISM 051756 FIAMMA F80S L/H LEG KNUCKLE 051750 FIAMMA WINCH & SLOT MECHANISM 3.1 WHITE 051757 FIAMMA F80S R/H LEG KNUCKLE 051758 F80S LEAD BAR END CAP DEEP BLACK L/H 051759 F80S LEAD BAR END CAP POLAR WHITE 051760 FIAMMA F80S LEAD BAR END CAP

051761

FIAMMA F80S LEG FOOT SUPPORT

FIAMMA F65 / F65S / F80 SPARE PARTS

F80 SPARE PARTS



FIAMMA SPARE PARTS F80 SPARE PARTS PART NO. DESCRIPTION FIAMMA F80S LEG FOOT SUPPORT 051762 051196 FAST CLIP LEFT EXT 250RS 051738 FIAMMA F80S L/H FIXING KIT 051197 FAST CLIP RIGHT EXT 250RS 051739 FIAMMA F80S R/H FIXING KIT 044355 C/STORE 3101440 RIGHT RAFTER AND LEG 051749 FIAMMA F80S L/H ARM FOR 320-450 051200 RIGHT SIDE PANEL PRIVACY ROOM LARGE 051378 UPPER SECURITY COVER WHITE



PRIVACY SCREENS

CAMEC PRIVACY SCREEN

PART NO.	DESCRIPTION
050275	CAMEC PRIVACY END (CARAVAN) 2.1 X 1.8M WITH 2.05 ANGLE CUT
050274	CAMEC PRIVACY END (POP TOP) 2.1 X 1.8M
050265	CAMEC PRIVACY SCREEN 2.8 X 1.8M
050267	CAMEC PRIVACY SCREEN 3.1 X 1.8M
050268	CAMEC PRIVACY SCREEN 3.4 X 1.8M
050269	CAMEC PRIVACY SCREEN 3.7 X 1.8M
050270	CAMEC PRIVACY SCREEN 4.0 X 1.8M
050271	CAMEC PRIVACY SCREEN 4.3 X 1.8M
050272	CAMEC PRIVACY SCREEN 4.6 X 1.8M
050273	CAMEC PRIVACY SCREEN 4.9 X 1.8M

FEATURES

- 90% shade and UV block providing ultimate sun protection
- Stainless steel D-rings stitched to reinforced tabs across bottom edge for securing
- · Feature a double rope track 5mm and a 7mm spline to suit various awning styles
- · Comes with privacy screen pegs and cords

FLOORING



CAMEC FLOOR MATTING

PART NO.	DESCRIPTION
044089	CAMEC FLOOR MATTING 3.0 X 2.5M
044090	CAMEC FLOOR MATTING 4.5 X 2.5M
044091	CAMEC FLOOR MATTING 5 X 2.5M
044092	CAMEC FLOOR MATTING 6 X 2.5M
044093	CAMEC FLOOR MATTING 7.0 X 2.5M

FEATURES

- Matting construction provides superior underfoot comfort
- · Designed specifically to keep dirt, mud and sand from being walked into your
- caravan, RV or tent • Great for picnics and any outdoor event
- Open mesh floor matting will not kill grass preferred by all caravan parks
 Edges bounded by heavy duty webbing with brass eyelets for pegging down





PRIVACY SCREEN PEGS AND CORDS 044556

Set of 5 pegs and cords to tie down privacy screens.

C-GEAR MULTIMAT OUTDOOR CAMPING MAT

Sand and dirt fall straight through the mat to the ground beneath, not back up through the mat. Ideal for outdoor living areas and provides a sand and dirt free area for camping sites. It can be used as a shade mat (providing 90%+ UV protection) or as a windbreak for screening. Designed in Australia.



PART NO.	DESCRIPTION
038341	CGEAR MULTI MAT 1.8M X 2.4M
039256	CGEAR MULTI MAT 2.4M X 3.35M
038342	CGEAR MULTI MAT 2.4M X 4.3M
039616	CGEAR MULTI MAT 2.4M X 5.2M
038343	CGEAR MULTI MAT 2.4M X 6.0M
040022	CGEAR MULTI MAT 2.4M X 7.5M
039972	CGEAR MULTI MAT 3.05M X 3.05M
038344	CGEAR MULTI MAT 3.6M X 4.6M

- Sand and dirt fall readily through the matPerfect for use under camp furniture
- UV stabilisers minimise degradation of mats from exposure to the sun
- Non-absorbent and will not rot or mould
- Liquid spills go through the mat
- Easy to wipe clean or hose down
 Environmentally friendly on the grass underneath, it doesn't kill grass
- May be used for shade or as a wind break
- Recyclable
- Lightweight and easy to set up and pack away
 Reinforced edges and multiple D-rings
- Durable and won't tear or fray, even if cut, due to rip stop technology
- · Comes with a drawstring carry bag

COVERS



CAMEC PREMIUM RV COVERS

Camec Premium RV Covers have been designed and manufactured to protect your caravan from being exposed to harsh climatic conditions.

QUALITY

Specially manufactured using a composite of two materials comprising a water resistant roof section for maximum protection, weather resistant breathable side panels which allows the cover to breathe and moisture to evaporate resisting rot and mildew, ventilation flaps and a heavy duty reinforced skirt with an elasticised hem front and rear providing a strong guard against damage from sharp objects.

PROTECTION

The cover will provide excellent protection against acid rain, industrial pollutants, tree sap, bird droppings, dust and weather damage caused by leaving your caravan uncovered whilst exposed to the weather.

Sizes listed are body length (not including A Frame)

CAMEC CARAVAN COVER

PART NO.	DESCRIPTION	SIZE
044108	CAMEC CARAVAN COVER C16CCV	14 - 16' 4.3 - 4.8M
044109	CAMEC CARAVAN COVER C18CCV	16 - 18' 4.8 - 5.4M
044110	CAMEC CARAVAN COVER C20CCV	18-20'5.4-6.0M
044111	CAMEC CARAVAN COVER C22CCV	20-22'6.0-6.6M
044112	CAMEC CARAVAN COVER C24CCV	22 - 24'6.6 - 7.3M
043030	CAMEC CARAVAN COVER C26CCV	24 - 26'7.3 - 7.9M



PRACTICALITY

Incorporated into the complete range of Camec Premium RV Covers which are lightweight and easy to fit are practical features such as nylon straps attached to both the front and rear plus four reinforced tabs with eyelets at both front and rear so that the cover can be made nice and taut ensuring it is securely fastened for all weather conditions.

FEATURES

- 300D water resistant UV 50+ roof section
- Water resistant breathable side panel
- Reinforced skirt with dual nylon clip
- Double stitched reinforced corners
- Ventilation flapsSoft non abrasive lining
- 3 year warranty
- CAMEC POP-TOP COVER

PART NO.	DESCRIPTION	SIZE
044113	CAMEC POP-TOP COVER C14PCV	12 - 14' 3.7 - 4.4M
044114	CAMEC POP-TOP COVER C16PCV	14-16' 4.3-4.8M
044115	CAMEC POP-TOP COVER C18PCV	16-18' 4.8-5.4M
044116	CAMEC POP-TOP COVER C20PCV	18-20'5.4-6.0M



CAMEC CAMPER TRAILER COVER

PART NO.	DESCRIPTION	SIZE
044105	CAMEC CAMPER TR COVER C12CTCV	10-12' 3.0-3.7M
044106	CAMEC CAMPER TR COVER C14CTCV	12 - 14' 3.7 - 4.3M
044107	CAMEC CAMPER TR COVER C16CTCV	14 - 16' 4.3 - 4.8M

3 YEAR WARRANTY



MOTORHOME COVER

PART NO.	DESCRIPTION
051115	MOTORHOME COVER - 701 X 236 X 264CM
051116	MOTORHOME COVER - 792 X 236 X 264CM
051117	MOTORHOME COVER - 884 X 236 X 264CM

QUALITY

Specially manufactured using a composite of two materials comprising a water resistant roof section for maximum protection, weather resistant breathable side panels which allows the cover to breathe and moisture to evaporate resisting rot and mildew, ventilation flaps and a heavy duty reinforced skirt with an elasticised hem front and rear providing a strong guard against damage from sharp objects.

PROTECTION

The cover will provide excellent protection against acid rain, industrial pollutants, tree sap, bird droppings, dust and weather damage caused by leaving your Motorhome uncovered whilst exposed to the weather.

PRACTICALITY

Incorporated into the complete range of Camec premium motorhome covers which are lightweight and easy to fit are practical features such as nylon straps attached to both the front and rear plus four reinforced tabs with eyelets at both front and rear so that the cover can be made nice and taut ensuring it is securely fastened for all weather conditions.

- 300D water resistant UV 50+ roof section
- Water resistant breathable side panel
- Reinforced skirt with dual nylon clips
- Double stitched reinforced corners
- Ventilation flaps
- Soft non abrasive lining